




All rights are strictly reserved. Reproduction or disclosure to third parties in any form whatever is not permitted without written authorization from the proprietor. A violation is punishable.





6000 kg  
Ø 2200mm



## DVP6 Automatic UNWIND gantry / SVOLGITORE a portale

<b>Max. reel diameter</b> Diametro max. bobina	Ø 1200 - 2200 mm
<b>Max. weight</b> Peso max.	6000 kg
<b>Reels width</b> Larghezza bobina	700-1500 mm
<b>Drum lift</b> Sollevamento del tamburo	<b>Electro hydraulic</b> Elettro idraulico
<b>Brake control cable tensor</b> Freno di tensione del cavo	<b>Electro hydraulic</b> Elettro idraulico
<b>Fusing</b> Fusione	3 x 32 A + N
<b>Voltage</b> Voltaggio	400 V / 50 Hz
<b>Certification</b> Certificazione	CE

## FEATURES

**Automatically opening and closing of the safety cage**  
Apertura e chiusura automatica della gabbia di sicurezza

**Safety cage with automatic switch lock**  
Gabbia di protezione con blocco di sicurezza automatico in caso di apertura

All Pictures shown are for illustration purpose only. Specifications are subject to change without notice

Le immagini sono inserite a scopo illustrativo. I prodotti possono subire modifiche.



ELECTRONIC  
ELECTROMECHANICAL  
COMPONENTS  
PARTNER & DEALER



Via Monferrato, 43  
20098 San Giuliano Milanese  
I T A L Y

T. +39 02 55.60.61.01  
F. +39 02 55.60.71.43

[www.klemi-contact.com](http://www.klemi-contact.com)