



All rights are strictly reserved. Reproduction or disclosure to third parties in any form whatever is not permitted without written authorization from the proprietor. A violation is punishable.





DVR100 automatic

UNWINDING with one shaft / SVOLGITORE a un albero

Max. reel diameter Diametro max. bobina	ø 1000 mm
Max. weight Peso max.	800 kg
Max. reels width Larghezza massima bobina	710 mm
Cable tension controller device (dancing arm) Sistema controllo tensione cavo (dancing arm)	<input checked="" type="checkbox"/>
Drum lift Sollevamento del tamburo	Hydraulic cylinder with a hand pump Cilindro idraulico con pompa a mano
Dimensions (LxWxH) Dimensioni (LxPxH)	1700 x 1800 x 1950 mm
Weight Peso	400 kg
Certification Certificazione	

FEATURES

Hydraulic cylinder with a hand pump for lifting the drums

Cilindro idraulico con pompa a mano per il sollevamento dei fusti

Adjustable speed regulator with the use of a frequency inverter

Velocità regolabile con l'utilizzo di un inverter di frequenza

Safety cage with automatic switch lock

Gabbia di protezione con blocco di sicurezza automatico in caso di apertura

Compatible with Metzner, Ramatech, Komax and Schleuniger machines

Compatibile con macchine automatiche: Metzner, Ramatech, Komax and Schleuniger

OPTION

Electro-hydraulic to fast operation for lifting

Sollevamento elettro idraulico

Cable accumulator for cable up to 40mm

Accumulatore per cavi fino a 40 mm

All Pictures shown are for illustration purpose only. Specifications are subject to change without notice

Le immagini sono inserite a scopo illustrativo. I prodotti possono subire modifiche.



ELECTRONIC
ELECTROMECHANICAL
COMPONENTS
PARTNER & DEALER



Via Monferrato, 43
20098 San Giuliano Milanese
ITALY

T. +39 02 55.60.61.01
F. +39 02 55.60.71.43

www.klemi-contact.com