

All rights are strictly reserved. Reproduction or disclosure to third parties in any form whatever is not permitted without written authorization from the proprietor. A violation is punishable.





ECO MASTER

ECO TRONIC & ECO TRONIC pro TERMINATING MACHINE


Type Fully automatic
Tipologia Completamente automatica

Connector system ECO-TRONIC / ECO-TERONIC pro + crimp contacts
Connettori ECO-TRONIC / ECO-TERONIC pro + Contatti a crimpare

Pitch 2,5 / 5 mm
Passo

Insertion punches automatically change for the a.m. connector systems
Punzoni di inserimento Cambio automatico per connettori a.m.

Production of harnesses Complex, up to six different connectors, arbitrary wire-positions within a lot, crimp- and IDC-contacts
Produzione cablaggi Produzione cablaggi complessi, fino a sei connettori diversi, posizioni cavo arbitrarie, contatti a crimpare e IDC



FEATURES

IDC- and crimp contacts within a harness

Cablaggio di connettori IDC e Contatti a crimpare

Automatic single wire-feeding, six-fold-multi-wirefeeder optional

Alimentazione automatica singola, alimentazione multipla a sei fili opzionale

Optional cutting of 2-ways ECO-TRONIC connectors in chain

Taglio opzionale di connettori ECO-TRONIC a 2 vie

Multiple quality controls

Diversi controlli qualità



ECO-TRONIC, ECO-TERONIC pro & crimp contacts

- MF 7234
- MF 7236
- MF 7238
- MF 7239
- MF 7242
- MF 7274
- MF 7278
- MF 7260
- MF 7262
- MF 7263

All Pictures shown are for illustration purpose only. Specifications are subject to change without notice

Le immagini sono inserite a scopo illustrativo. I prodotti possono subire modifiche.



ELECTRONIC
ELECTROMECHANICAL
COMPONENTS
PARTNER & DEALER



Via Monferrato, 43
20098 San Giuliano Milanese
I T A L Y

T. +39 02 55.60.61.01
F. +39 02 55.60.71.43

www.klemi-contact.com