



All rights are strictly reserved. Reproduction or disclosure to third parties in any form whatever is not permitted without written authorization from the proprietor. A violation is punishable.





GCR Series

MECHANICAL JACKS / CAVALLETTI SVOLGIBOBINE DA CANTIERE MECCANICI

	GCR1800	GCR2600	GCR3000	GCR3000/10
Reel diameter Diametro bobina	ø 400 - 1800 mm	ø 700 - 2600 mm	ø 700 - 3000 mm	ø 800 - 3000 mm
Max. weight Peso max.	1500 kg	3000 kg	5000 kg	10.000 kg
Max. reels width Larghezza massima bobina	1500 mm	1500 mm	2000 mm	2200 mm
Dimensions (LxWxH) Dimensioni (LxPxH)	740 x 500 x 400 mm	1125 x 640 x 500 mm	1400 x 500 x 400 mm	1400 x 640 x 500 mm
Body Corpo	Steel Acciaio	Steel Acciaio	Steel Acciaio	Steel Acciaio
Weight Peso	30 kg	64 kg	70 kg	100 kg

FEATURES

Height variable axle holder devices to situate it at the level of the hole in the reel

Agevole inserimento dell'asta nel foro della bobina

Elevation of the reel is by means of a cog rail

Altezza della bobina regolabile per mezzo di una cremagliera

Safety handle

Maniglia di sicurezza

All Pictures shown are for illustration purpose only. Specifications are subject to change without notice

Le immagini sono inserite a scopo illustrativo. I prodotti possono subire modifiche.



ELECTRONIC
ELECTROMECHANICAL
COMPONENTS
PARTNER & DEALER



Via Monferrato, 43
20098 San Giuliano Milanese
I T A L Y

T. +39 02 55.60.61.01
F. +39 02 55.60.71.43

www.klemi-contact.com