


All rights are strictly reserved. Reproduction or disclosure to third parties in any form whatever is not permitted without written authorization from the proprietor. A violation is punishable.



Klemi Contact
The connectables

FUSE & FUSEHOLDER

515.600



F IEC 60127-2/A2 **ac**

As assembly with two pigtailed on various form and length
Assemblato con due cappucci con terminali a lunghezza custom



100 pz. [std. packaging ~ conf. standard]
1000 pz. [ind. packaging ~ conf. industriale]

Body Corpo	Glass Vetro	Extinguishing agent Polvere spegnciarco	<input checked="" type="checkbox"/>
Voltage Tensione	125 V ~ 250 V	Contacts material Materiale contatti	CuZn
Soldering Saldatura	EN 60068-2-20	Contacts finishing Finitura contatti	Ni

TIME CURRENT / TEMPI DI FUSIONE

RATED CURRENT CORRENTE NOMINALE	1,5 x I _n		2,75 x I _n		4 x I _n		10 x I _n	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX
100 mA - 7 A	1 h	9 ms	750 ms	2 ms	250 ms	0 ms	30 ms	

CODE	I. RATING I. NOM	BREAKING CAPACITY CAPACITÀ DI ROTTURA	VOLTAGE DROP CADUTA DI TENSIONE	POW. DIS. POT. DIS.
515.607	100 mA	35 A	3000 mV	1.6 W
515.608	125 mA	35 A	2500 mV	1.6 W
515.609	160 mA	35 A	2000 mV	1.6 W
515.610	200 mA	35 A	2000 mV	1.6 W
515.611	250 mA	35 A	2000 mV	1.6 W
515.612	315 mA	35 A	1500 mV	1.6 W
515.613	400 mA	35 A	1500 mV	1.6 W
515.614	500 mA	35 A	2500 mV	1.6 W
515.653	600 mA	35 A	1000 mV	A rich./On req.
515.615	630 mA	35 A	500 mV	1.6 W
515.616	800 mA	35 A	250 mV	1.6 W
515.617	1 A	35 A	150 mV	1.6 W
515.618	1,25 A	100 A	150 mV	1.6 W
515.659	1,5 A	100 A	150 mV	A rich./On req.
515.619	1,6 A	100 A	150 mV	1.6 W
515.620	2 A	100 A	100 mV	1.6 W
515.621	2,5 A	100 A	100 mV	1.6 W
515.663	3 A	100 A	100 mV	A rich./On req.
515.622	3,15 A	100 A	100 mV	2,5 W
515.665	3,5 A	100 A	100 mV	A rich./On req.
515.623 ①	4 A	400 A	100 mV	2,5 W
515.624 ①	5 A	400 A	200 mV	2,5 W
515.666 ①	6 A	400 A	100 mV	A rich./On req.
515.625 ①	6,3 A	400 A	100 mV	2,5 W
515.667 ①	7 A	400 A	100 mV	A rich./On req.

① Voltage 125 V

All Pictures shown are for illustration purpose only. Specifications are subject to change without notice

Le immagini sono inserite a scopo illustrativo. I prodotti possono subire modifiche.



ELECTRONIC
ELECTROMECHANICAL
COMPONENTS
PARTNER & DEALER



Via Monferrato, 43
20098 San Giuliano Milanese
I T A L Y

T. +39 02 55.60.61.01
F. +39 02 55.60.71.43

www.klemi-contact.com