

All rights are strictly reserved. Reproduction or disclosure to third parties in any form whatever is not permitted without written authorization from the proprietor. A violation is punishable.



Klemi Contact
The connectables
FUSE & FUSEHOLDER

528.000



M **DIN 41.576-2** **ac**

As assembly with two pigtailed on various form and length
Assemblato con due cappucci con terminali a lunghezza custom



10 pz. [std. packaging ~ conf. standard]
1000 pz. [ind. packaging ~ conf. industriale]

Body	80 mA ~ 630 mA Glass / Vetro	Extinguishing agent	1,6 A ~ 16 A
Corpo	800 mA ~ 1,25 A Ceramic / Ceramica	Polvere spegningarco	Ceramic / Ceramica
Voltage	250 V	Contacts material	CuZn
Tensione		Contacts finishing	Ni
Soldering	EN 60068-2-20		
Saldatura			

TIME CURRENT / TEMPI DI FUSIONE

RATED CURRENT CORRENTE NOMINALE	1,5 x I _n		2,1 x I _n		4 x I _n		10 x I _n	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX
80 mA - 100 mA	1 h		2 min		40 ms	500 ms	5 ms	30 ms
125 mA - 1,25 A	1 h		2 min		60 ms	2000 ms	5 ms	70 ms
1,6 A - 16 A	1 h		30 min		60 ms	2000 ms	5 ms	70 ms

CODE	I. RATING I. NOM	BREAKING CAPACITY CAPACITÀ DI ROTTURA	VOLTAGE DROP CADUTA DI TENSIONE	MELTING RATING FUSIONE NOM.
528.006	80 mA	80 A	520 mV	A rich. / On req.
528.007	100 mA	80 A	500 mV	A rich. / On req.
528.008	125 mA	80 A	500 mV	A rich. / On req.
528.009	160 mA	80 A	400 mV	A rich. / On req.
528.010	200 mA	80 A	400 mV	A rich. / On req.
528.011	250 mA	80 A	375 mV	0.35 A² s
528.012	315 mA	80 A	410 mV	A rich. / On req.
528.013	400 mA	80 A	280 mV	0.38 A² s
528.014	500 mA	80 A	250 mV	A rich. / On req.
528.015	630 mA	80 A	220 mV	A rich. / On req.
528.016	800 mA	1500 A	400 mV	A rich. / On req.
528.017	1 A	1500 A	350 mV	3.74 A² s
528.018	1,25 A	1500 A	315 mV	A rich. / On req.
528.019	1,6 A	1500 A	480 mV	3.07 A² s
528.020	2 A	1500 A	360 mV	7.20 A² s
528.021	2,5 A	1500 A	300 mV	10.50 A² s
528.022	3,15 A	1500 A	250 mV	17.07 A² s
528.023	4 A	1500 A	180 mV	34.56 A² s
528.024	5 A	1500 A	180 mV	A rich. / On req.
528.025	6,3 A	1500 A	160 mV	94.58 A² s
528.026	8 A	1500 A	A rich. / On req.	174.08 A² s
528.027	10 A	1500 A	A rich. / On req.	330.00 A² s
528.030	16 A	1500 A	A rich. / On req.	631.47 A² s

All Pictures shown are for illustration purpose only. Specifications are subject to change without notice

Le immagini sono inserite a scopo illustrativo. I prodotti possono subire modifiche.



ELECTRONIC
ELECTROMECHANICAL
COMPONENTS
PARTNER & DEALER



Via Monferrato, 43
20098 San Giuliano Milanese
I T A L Y

T. +39 02 55.60.61.01
F. +39 02 55.60.71.43

www.klemi-contact.com