

All rights are strictly reserved. Reproduction or disclosure to third parties in any form whatever is not permitted without written authorization from the proprietor. A violation is punishable.




ROTARY SWITCH COMMUTATORI ROTATIVI




BS

Commutatore rotativo con terminali a saldare fino a 10 banchi
Fino a 4 poli per banco

Dimensional Drawings · Dimensions in mm



BS · Version with soldering lugs



BS · PC board version

FEATURES

Commutatore rotativo flessibile per i molteplici angoli di scatto

Commutatore dotato di meccanismo di scatto plastico a sfera

Meccanismo di scatto a leva flessibile per gli angoli di 72°, 60°, 51°, 25,8°, e 45°


Commutazione cortocircuitante o non cortocircuitante

Svariate esecuzioni speciali


Doppio alberino e sblocco azionamento solo dopo aver premuto sull'alberino

Commutatore rotativo con banchi montati in tandem


Commutatore rotativo a tenuta stanga



BS · Watertight version



BS · Lever detent mechanism



Hole location diagrams as viewed from the mounting side

OPTION

Commutatore rotativo con molla di richiamo

Disponibile con fermo a sfera in plastica

Commutatore disponibile con meccanismo a leva

Klemi Contact pursues a policy of continuous development and reserves the right to make changes or updates without notice, the design, materials or technical specifications of any product, the information contained in this file/datasheet and to stop distributing any product described. Images are included for illustrative purposes. The products are subject to change.

Klemi Contact persegue una politica di continuo sviluppo e si riserva il diritto di apportare modifiche o aggiornare senza preavviso, il design, i materiali o le specifiche tecniche di qualsiasi prodotto, le informazioni contenute in questo file/scheda dati e di interrompere la distribuzione di qualsiasi prodotto descritto. Le immagini sono inserite a scopo illustrativo. I prodotti possono subire modifiche.



ELECTRONIC
ELECTROMECHANICAL
COMPONENTS
PARTNER & DEALER

FOLLOW US
ON SOCIAL MEDIA!



Via Monferrato, 43
20098 San Giuliano Milanese
ITALY

T. +39 02 55.60.61.01
F. +39 02 55.60.71.43

www.klemi-contact.com