

All rights are strictly reserved. Reproduction or disclosure to third parties in any form whatever is not permitted without written authorization from the proprietor. A violation is punishable.




# ROTARY SWITCH COMMUTATORI ROTATIVI




# SB16 - SBI16

Commutatore rotativo con terminali a saldare o per circuito stampato


Dimensional Drawings and Contact Arrangements · Dimensions in mm




SB16 · Standard version with soldering lugs




SB16 Standard version with soldering pins




SB16 · MIL-version, shaft design A




Contact arrangement for printed circuits



SB16 · Contact arrangements as viewed from detent mechanism



SB16 · Step switch with impulse contact



SB16 · Contact arrangements as viewed from detent mechanism

## FEATURES

- 1 banco
- Fino a 12 posizioni
- Montaggio centrale
- Rotary switch con esecuzioni speciali a norme MIL
- Commutatore versione speciale per applicazioni MIL
- Commutazione circuitante e cortocircuitante
- Commutatore fisso o senza fermo (rotazione a 360°)
- Contatti terminali in Ag
- Commutatore a tenuta stagna
- Resistente alla polvere e ai liquidi

## OPTION

- Contatti terminali in Au/Ni
- Molla di richiamo
- Versione con contatto a impulsi aggiuntivo, ad esempio, per funzioni di test o paging

*Klemi Contact pursues a policy of continuous development and reserves the right to make changes or updates without notice, the design, materials or technical specifications of any product, the information contained in this file/datasheet and to stop distributing any product described. Images are included for illustrative purposes. The products are subject to change.*



Klemi Contact persegue una politica di continuo sviluppo e si riserva il diritto di apportare modifiche o aggiornare senza preavviso, il design, i materiali o le specifiche tecniche di qualsiasi prodotto, le informazioni contenute in questo file/scheda dati e di interrompere la distribuzione di qualsiasi prodotto descritto. Le immagini sono inserite a scopo illustrativo. I prodotti possono subire modifiche.



ELECTRONIC  
ELECTROMECHANICAL  
COMPONENTS  
PARTNER & DEALER

## FOLLOW US ON SOCIAL MEDIA!



Via Monferrato, 43  
20098 San Giuliano Milanese  
ITALY

T. +39 02 55.60.61.01  
F. +39 02 55.60.71.43

[www.klemi-contact.com](http://www.klemi-contact.com)