


All rights are strictly reserved. Reproduction or disclosure to third parties in any form whatever is not permitted without written authorization from the proprietor. A violation is punishable.



Klemi Contact
The connectables

FUSE & FUSEHOLDER

1038.600



F / gG

IEC 60269-1

IEC 60269-2

ac



10 pz. [std. packaging ~ conf. standard]
100 pz. [ind. packaging ~ conf. industriale]

Body Corpo	Ceramic Ceramica	Extinguishing agent Polvere spegنيarco	<input checked="" type="checkbox"/>
Voltage Tensione	400 V / 500 V	Contacts material Materiale contatti	CuZn
		Contacts finishing Finitura contatti	Ni

TIME CURRENT / TEMPI DI FUSIONE

RATED CURRENT CORRENTE NOMINALE	2.1 x I _n	4 x I _n	10 x I _n
500 mA - 32 A	A rich. / On req.	A rich. / On req.	A rich. / On req.

CODE	I. RATING I. NOM.	BREAKING CAPACITY CAPACITÀ DI ROTTURA	VOLTAGE TENSIONE	POW. DIS. POT. DIS.	MELTING RATING FUSIONE NOM.
1038.614	0.5 A	120 kA	500V	1.43 W	4.0 A ² s
1038.617	1 A	120 kA	500V	2.77 W	6.5 A ² s
1038.620	2 A	120 kA	500V	0.60 W	7.0 A ² s
1038.623	4 A	120 kA	500V	0.70 W	45 A ² s
1038.625	6 A	120 kA	500V	0.85 W	70 A ² s
1038.626	8 A	120 kA	500V	0.75 W	80 A ² s
1038.627	10 A	120 kA	500V	1.00 W	120 A ² s
1038.628	12 A	120 kA	500V	1.30 W	180 A ² s
1038.630	16 A	120 kA	500V	1.60 W	270 A ² s
1038.631	20 A	120 kA	500V	2.00 W	500 A ² s
1038.632	25 A	120 kA	500V	2.60 W	800 A ² s
1038.634	32 A	120 kA	400V	2.90 W	1200 A ² s

Klemi Contact pursues a policy of continuous development and reserves the right to make changes or updates without notice, the design, materials or technical specifications of any product, the information contained in this file/datasheet and to stop distributing any product described. Images are included for illustrative purposes. The products are subject to change.

Klemi Contact persegue una politica di continuo sviluppo e si riserva il diritto di apportare modifiche o aggiornare senza preavviso, il design, i materiali o le specifiche tecniche di qualsiasi prodotto, le informazioni contenute in questo file/scheda dati e di interrompere la distribuzione di qualsiasi prodotto descritto. Le immagini sono inserite a scopo illustrativo. I prodotti possono subire modifiche.



ELECTRONIC
ELECTROMECHANICAL
COMPONENTS
PARTNER & DEALER

FOLLOW US ON SOCIAL MEDIA!



Via Monferrato, 43
20098 San Giuliano Milanese
ITALY

T. +39 02 55.60.61.01
F. +39 02 55.60.71.43

www.klemi-contact.com